


OPEN-001 Topolovac et al. Sheet 3/

Unique User Identifier <u>420</u>	Owner Data Field <u>410</u>	User Name Data Field <u>433</u>	User Password Data Field <u>436</u>	Additional Data Fields <u>440</u>	
					402A
					402B
					402C
					402D
					402E
					402F
					402G
					402H
					402I

FIG. 4

JPEN-001 Topolovac et al. Sheet 4/

Other Data
Fields 530

(move up)

Element Primary Key Data Field 505	Owner Data Field 510	Workspace Context Data Field 515	Element Name Data Field 520	Element Number Data Field 525	...
					502A
					502B
					502C
					502D
					502E
					502F
					502G
					502H
					502I

304
504

500

FIG. 5

OPEN-001 Topolovac et al. Sheet 5/

Element Relation Primary Key Data Field <u>605</u>	Owner Data Field <u>610</u>	Workspace Context Data Field <u>615</u>	Element Parent Data Field <u>620</u>	Element Child Data Field <u>625</u>	Child Quantity Data Field <u>626</u>	...	
							602A
							602B
							602C
							602D
							602E
							602F
							602G
							602H
							602I

304
604

600

FIG. 6

OPEN-001 Topolovac et al. Sheet 6/1




FIG. 7